

2016

Product Range

Scanning, ESL & Digital Signage solutions

≡ OPTICON

4	ESL & DIGITAL SIGNAGE Accessories	
6	WINDOWS MOBILE & ANDROID TERMINALS Accessories	
8	WINDOWS CE & EMBEDDED TERMINALS Accessories	
10	BATCH TERMINALS Accessories	
12	COMPANION SCANNERS Accessories	
14	WIRELESS SCANNERS Accessories	
16	CABLED SCANNERS Accessories	
18	STATIONARY SCANNERS Accessories	
20	ENGINES	
22	PRODUCT SELECTOR	



EE-201

Display: e-paper

Power: 2x CR2450

Radio protocol: IEEE 802.15.4

Number of dots: 200 x 96

[ART. CODE 13163](#)



EE-440

Display: e-paper

Power: 2x AAA

Radio protocol: IEEE 802.15.4

Number of dots: 400 x 300

[ART. CODE 13381](#)



ET-350

Display: TFT

Power: 5V

Interface: USB Ver 2.0

Number of dots: 320 x 240

[ART. CODE 13698](#)



EE-290

Display: e-paper

Power: 2x CR2450

Radio protocol: IEEE 802.15.4

Number of dots: 296 x 128

[ART. CODE 13841](#)

SOLD SEPARATELY



EBS-30 BASE STATION
Power supply 6V/ 2A sold separately [\[10991\]](#)
Ethernet cable sold separately [\[12607\]](#)
ART. CODE 13097

SOLD SEPARATELY FOR EE-201 AND EE-290



BRACKET, WALL MOUNT
ART. CODE 13758



BRACKET, WALL MOUNT
ART. CODE 13759
Adhesive
ART. CODE 13849

SOLD SEPARATELY FOR EE-440



BRACKET, WALL MOUNT
ART. CODE 13758



6

H-21

H-21 1D

Barcode laser scanner

Operating system: Windows Mobile™ 6.5

Color camera

Keypad: Numeric or Qwerty

IP rate: 64

GPRS/EDGE/3G/3.5G

W-LAN, (IEEE 802.11 b/g)

Bluetooth

AGPS

(NUMERIC) ART. CODE 12596

H-21 2D

2D CMOS imager with auto-focus

(NUMERIC) ART. CODE 12597

(QWERTY) ART. CODE 12599

H-22

H-22 1D

Barcode laser scanner

Operating system: Windows Mobile™ 6.5.3

Color camera

Keypad: Numeric or Qwerty

IP rate: 65

GPRS/EDGE/3G/3.5G

W-LAN, (IEEE 802.11 b/g/n)

Bluetooth

AGPS

(NUMERIC) ART. CODE 12752

(QWERTY) ART. CODE 12754

(NUMERIC, RFID) ART. CODE 12756

(QWERTY, RFID) ART. CODE 12758

H-22 2D

2D CMOS imager with auto-focus

(NUMERIC) ART. CODE 12753

(QWERTY) ART. CODE 12755

(NUMERIC, RFID) ART. CODE 12757

(QWERTY, RFID) ART. CODE 12759

H-27

H-27 1D

Barcode laser scanner

Operating system: Android 4.2.2

5.0 MP camera with Auto Focus and Flash LED

IP rate: 65

HSPA+ with Data and Voice

WiFi, 802.11 a/b/g/n

Bluetooth 4.0

NFC

GPS and GLONASS

ART. CODE 13280

H-27 2D

2D CMOS imager

ART. CODE 13281

DEFAULT ENCLOSED



H-21

USB AC Adapter
Standard battery H-21 [\[12560\]](#)
Getting started disc
Ear microphone
Leather case
Wrist strap
Screen protector
Mini USB cable
Stylus + Cord



H-22

USB AC Adapter
Ear microphone
Wrist strap
Micro USB cable
Stylus + Cord



H-27

Battery [\[13343\]](#)
Power adapter
USB to DC cable
Micro USB cable
Ear phone
Quick start guide

SOLD SEPARATELY



CRD-22

Power supply 5V enclosed
USB cable enclosed
Spare battery charging bay integrated
[ART. CODE 12923](#)



H-22 HOLSTER

[ART. CODE 13104](#)



CMK-22 CAR KIT

[ART. CODE 13062](#)



H-27 SILICON COVER

[ART. CODE 13664](#)



H-22 PISTOL GRIP

[ART. CODE 12936](#)



CRD-21

Power supply 5V sold separately [\[10991\]](#)
USB cable enclosed
Spare battery charging bay integrated
[ART. CODE 12558](#)



H-21/H-22

Rechargeable battery
[ART. CODE 12560](#)



H-27/CRD-27 POWER CABLE

US Power cable
[ART. CODE 13345](#)
EU Power cable
[ART. CODE 10999](#)
SA Power cable
[ART. CODE 13348](#)



CRD-27

Spare battery charging bay integrated
[ART. CODE 13344](#)



H-32 1D

Barcode laser scanner

Operating system: Windows

Embedded Compact 7

Keypad: Numeric

IP rate: 54

W-LAN, (IEEE 802.11 a/b/g/n/)

Bluetooth

ART. CODE 13218

H-32 2D

2D CMOS imager

ART. CODE 13648

DEFAULT ENCLOSED



H-32

USB cable

Wrist strap

Quick start guide

Stylus + cord [\[13289 + 13304\]](#)

SOLD SEPARATELY FOR H-32



RECHARGEABLE BATTERY

ART. CODE 13224



CRD-32*

Power supply 6V/2A
sold separately [\[10991\]](#)

Micro USB cable 1m sold
separately [\[13610\]](#)

Ethernet cable 1m sold
separately [\[12607\]](#)

ART. CODE 13399



CRD-32-E5

Power supply 12V/3.5A
sold separately [\[13426\]](#)

Euro cable C7 1,5m sold
separately [\[13668\]](#)

ART. CODE 13235



HOLSTER

ART. CODE 13225

* Terminal charging features and spare battery charging bay integrated



OPH-1005

Barcode laser scanner

O/S: Proprietary

Battery: Rechargeable

Display: 320 x 240 pixels TFT LCD QVGA

Memory: 4 MB SRAM, 128 MB NAND FLASH

IP rate: 54

Communication: IrDA Ver. 1.2

ART. CODE 13036



OPH-3001

Barcode laser scanner

O/S: Proprietary

Battery: Rechargeable

Display: 320 x 240 pixels TFT LCD QVGA

Memory: 4 MB SRAM, 128 MB NAND FLASH

IP rate: 54

Communication: Mini USB, Ver. 2.0, IrDA Ver. 1.2

ART. CODE 13656

DEFAULT ENCLOSED
FOR OPH-1005



WRIST STRAP
Enclosed for all batch terminals

SOLD SEPARATELY



RECHARGEABLE
BATTERY
Sold separately for all batch terminals
ART. CODE 12025

SOLD SEPARATELY FOR OPH-1005



- CRD-1004*
Ethernet cable enclosed [12607]
Power supply 6V/2A sold separately [10991]
ART. CODE 12589
 - CRD-1006*
USB cable enclosed [10957]
RS232 cable enclosed [12094]
Power supply 6V/2A sold separately [10991]
ART. CODE 13167
- * Spare battery charging bay integrated

DEFAULT ENCLOSED
FOR OPH-3001



WRIST STRAP



USB CABLE

1D-CCD



OPN-4000i

Barcode CCD scanner

Keypad: 2 keys

USB

Bluetooth

MF certified

ART. CODE 13442



OPN-4000n

Barcode CCD scanner

Keypad: 2 keys

USB

Bluetooth

ART. CODE 13443

1D-LASER



OPL-9725 OSE

Barcode laser scanner

Keypad: 1 key

IrDA

ART. CODE 13222



OPL-9815

Barcode laser scanner

Keypad: 18 keys

Display: 112 x 64 pixels
graphic LCD

IrDA

GPS

Bluetooth

ART. CODE 12963



OPN-2001

Barcode laser scanner

Keypad: 2 keys

USB

ART. CODE 11858



OPN-2006

Barcode laser scanner

Keypad: 2 keys

USB

Bluetooth

ART. CODE 13336



RS-2006

Barcode laser Ring
scanner

Adjustable strap

Keypad: 2 keys + 1 trigger

USB

Bluetooth

ART. CODE 13919



DCL-1530

Barcode laser scanner

Keypad: 3 keys

Display: 112 x 64 pixels
graphic LCD

IrDA

USB

ART. CODE 11395

2D



PX-20

2D CMOS imager

Keypad: 2 keys

USB

Bluetooth

ART. CODE 13131



OPN-3002i

2D CMOS imager

Keypad: 2 keys

USB

Bluetooth

MF certified

ART. CODE 13169



PX-36

2D CMOS imager

Keypad: 18 keys

Display: 112 x 64 pixels
graphic LCD

IrDA

Bluetooth

ART. CODE 13749



OPN-3002n

2D CMOS imager

Keypad: 2 keys

USB

Bluetooth

ART. CODE 13168

CHARGING AND COMMUNICATION

SOLD SEPARATELY OPL-9700 / OPL-9800 SERIES/PX-36

CRD-9723RU

USB cable, sold separately [\[10957\]](#)

RS232 cable enclosed [\[10299\]](#)

Power supply 6 (5.7)V, sold separately [\[10850\]](#)

ART. CODE 10935

CRD-9723RU5

5 x communication, 5 x charging

USB cable enclosed

RS232 cable enclosed

Power supply 6V, sold separately [\[10991\]](#)

ART. CODE 11098

OPN SERIES, PX-20, PX-36



USB CABLE

Enclosed

DCL-1530 SERIES



USB CABLE

Enclosed

OPERATION



WRIST STRAP

Default enclosed [\[10225\]](#)

(All Companion Scanners, except for OPN series)

OPN-3002



SILICON COVER

Black

ART. CODE 13401

OPN SERIES, PX-20



NECK STRAP

Default enclosed

OPN-2001/4/6



SILICON COVER

Black

ART. CODE 13402

BATTERY

DCL-1530



DRY CELL AAA

Default enclosed items

Also sold separately

ART. CODE 10344

OPL-9700 SERIES



RECHARGEABLE BATTERY

Sold separately

ART. CODE 10303

OPL-9815



RECHARGEABLE BATTERY

Sold separately

sn <6001

ART. CODE 13090



RECHARGEABLE BATTERY

Sold separately

sn >6000

ART. CODE 12025

PX-36



RECHARGEABLE BATTERY

Sold separately

ART. CODE 13224



OPC-3301i

Barcode CCD scanner

56 x 113 x 132 mm (w x d x h)

2.20 x 4.45 x 5.20 in (w x d x h)

Weight: Ca. 127 g / 4.3 oz

Bluetooth

MFi certified

ART. CODE 13724



OPI-3301i

2D CMOS imager

56 x 113 x 135 mm (w x d x h)

2.20 x 4.45 x 5.32 in (w x d x h)

Weight: Ca. 132 g / 4.5 oz

Bluetooth

MFi certified

ART. CODE 13725

SOLD SEPARATELY



CHG-3201
OPC-3301i, OPI-3301i
Power supply 6V/2A sold separately [10991]
ART. CODE 13726



OPA-3201 DONGLE
OPC-3301i, OPI-3301i
USB
ART. CODE 13840

DEFAULT ENCLOSED



RECHARGEABLE
BATTERY
Default enclosed item
Also sold separately
ART. CODE 13830

1D-CCD



C-40

Barcode CCD scanner

Weight: Ca. 73 g / 2.57 oz
(excl. cable)

Drop proof: 1.5 m / 5 ft

Ergonomics: Hand
scanner



C-41S

Barcode CCD scanner

Weight: Ca. 55 g / 1.9 oz
(excl. cable)

Drop proof: 1.5 m / 5 ft

Ergonomics: Hand
scanner



L-50C

Barcode CCD scanner

Weight: Ca. 145 g / 5.1 oz

Drop proof: 1.5 m / 5 ft

Ergonomics: Pistol



C-37

Barcode CCD scanner

Weight: Ca. 90 g / 3.2 oz
(excl. cable)

Drop proof: 1.5 m / 5 ft

Ergonomics: Hand
scanner

1D-LASER



OPL-6845Z

Barcode laser scanner

Weight: Ca. 90 g / 3.2 oz

Drop proof: 1.5 m / 5 ft

Ergonomics: Hand
scanner with stand



OPR-2001

Barcode laser scanner

Weight: Ca. 60 g / 2.1 oz

Drop proof: 1.5 m / 5 ft

Ergonomics: Hand
scanner with stand



OPR-3201

Barcode laser scanner

Weight: Ca. 80 g / 2.8 oz

Drop proof: 1.5 m / 5 ft

Ergonomics: Pistol
scanner with stand



OPR-3001

Barcode laser scanner

Weight: Ca. 230 g / 8.1 oz
(excl. cable)

Drop proof: 2 m / 6.5 ft

Ergonomics: Pistol

2D



L-50X

2D CMOS imager

Weight: Ca. 150 g / 5.3 oz

Drop proof: 1.5 m / 5 ft

Ergonomics: Pistol



OPI-3601

2D CMOS imager

Weight: Ca. 80 g / 2.8 oz
(excl. cable)

Drop proof: 1.5 m / 5 ft

Ergonomics: Pistol



OPI-2201

2D CMOS imager with
auto-focus

Weight: Ca. 175 g / 6.2 oz
(excl. cable)

Drop proof: 1.5 m / 5 ft

Ergonomics: Pistol

All models are available with RS232, Keyboard Wedge and USB interface. Information about article codes is supplied on the next page.

STAND



OPL-6845Z STAND

Default enclosed item

Optionally sold separately

(BLACK) ART. CODE 11108



OPR-2001 STAND

Default enclosed item

Also sold separately

ART. CODE 11647



OPR-3001 STAND BLACK

Sold separately

ART. CODE 11832

CABLE

L-50 DETACHABLE CABLE

USB, 2m, sold separately

ART. CODE 13774

POWER SUPPLY



POWER SUPPLY 6V/2A

OPR-2001-RS232

OPR-3001-RS232

OPR-3201-RS232

Sold separately

C-37-RS232

OPI-2201-RS232

OPI-2201-WEDGE

OPL-6845R-RS232

Enclosed item

ART. CODE 10991

ART. CODES SCANNERS

C-37 (WHITE/BLACK)

C-37-WHITE-USB 12309

C-37-BLACK-RS232 12305

C-37-BLACK-USB 12306

C-40

C-40-USB-HID-AM-V-WHT 13672

C-41S

C-41S-USB-HID-AM-V-WHT 13894

L-50

L-50C-USB-BLK+STD 13750

L-50C-USB-WHT+STD 13923

L-50C-RS232-BLK+PS+STD 13927

L-50X-USB-BLK+STD 13751

OPI-2201 (BLACK)

OPI-2201-BLACK-RS232 12097

OPI-2201-BLACK-USB 12098

OPI-3601

OPI-3601-BLACK-RS232+STAND+PS 13083

OPI-3601-BLACK-USBHID+STAND 13084

OPL-6845Z (WHITE/BLACK)

Default with stand

OPL-6845Z-WHITE+STD-RS232 12091

OPL-6845Z-WHITE+STD-USB 12092

OPL-6845Z-WHITE+STD-WEDGE 12093

OPL-6845Z-BLACK+STD-RS232 12088

OPL-6845Z-BLACK+STD-USB 12089

OPL-6845Z-BLACK+STD-WEDGE 12090

OPR-2001

OPR-2001+STD-RS232 11646

OPR-2001+STD-USB 11645

OPR-2001+STD-WEDGE 11644

OPR-3001 (WHITE/BLACK)

Default straight cable

OPR-3001-WHITE-USB 11611

OPR-3001-BLACK-RS232 11756

OPR-3001-BLACK-USB 11757

OPR-3001-BLACK-WEDGE 11758

Also coiled cable

OPR-3001-BLACK-RS232-COILED 11759

OPR-3001-BLACK-USB-COILED 11760

OPR-3201 (WHITE/BLACK)

Default with stand

OPR-3201-WHITE+STD-USB 11795

OPR-3201-BLACK+STD-RS232 11843

OPR-3201-BLACK+STD-USB 11789

OPR-3201-BLACK+STD-WEDGE 11790

1D-CCD

**F-70**

Barcode CCD scanner

Scan rate: 700 scans/sec

Case material: Sheet metal

I-type:

55 x 47 x 20 mm (wxdxh)

2.17 x 1.85 x 0.79 in (wxdxh)

L-type:

52 x 55 x 20 mm (wxdxh)

2.05 x 2.17 x 0.79 in (wxdxh)

RS232

USB (HID/VCP)

**NLV-4001**

Barcode CCD scanner

Scan rate: 300 scans/sec

Case material: ABS

33 x 41.1 x 24 mm (wxdxh)

1.30 x 1.62 x 0.94 in (wxdxh)

IP rate: 65

RS232

USB (VCP)

1D-LASER

**NLV-1001**

Barcode laser scanner

Scan rate: 100 scans/sec

Case material: ABS

30 x 43.3 x 20 mm (wxdxh)

1.18 x 1.70 x 0.79 in

(wxdxh)

IP rate: 43

RS232

USB (HID/VCP)

Keyboard Wedge

2D

**NLV-3101**

2D CMOS area sensor

Scan rate: Up to 60 fps

Case material: ABS

41.1 x 24 x 33 mm (wxdxh)

1.62 x 0.94 x 1.30 in

(wxdxh)

IP rate: 65

RS232

USB (HID/VCP)

**M-10**

Omni-directional

Presentation scanner

2D CMOS imager

Scan rate: Up to 60 fps

72 x 70 x 139 mm (wxdxh)

2.83 x 2.76 x 5.47 in

(wxdxh)

RS232

USB (HID/VCP)

POWER SUPPLY



POWER SUPPLY 5V/2A

F-70-I-RS232

F-70-L-RS232

NLV-1001-RS232

Sold separately

ART. CODE 11052

CABLE

M-10 DETACHABLE

CABLE RS232

black 2m, sold separately

ART. CODE 13695

ART. CODES SCANNERS

M-10

M-10-USB BLACK 13356

M-10-USB WHT 13440

NLV-1001

NLV-1001-RS232 11613

NLV-1001-USB-HID 11614

NLV-3101

NLV-3101-RS232 + PS 13091

NLV-3101-USB 13092

NLV-3101-USBCOM 13094

NLV-4001

NLV-4001-RS232 13934

NLV-4001-USBCOM 13935

F-70

F-70-I-RS232 13184

F-70-L-RS232 13185

1D-CCD



MDC-100

Barcode CCD scanner

Scan rate: 300 scans/sec

22.8 x 15.0 x 11.5 mm
(wxdxh)

0.9 x 0.59 x 0.45 oz
(wxdxh)

Weight CMOS: Ca. 3.5 g /
0.12 oz



MDC-200

Barcode CCD scanner


Scan rate: 300 scans/sec

22.8 x 15 x 7.5 mm
(wxdxh)

0.90 x 0.59 x 0.30 in
(wxdxh)

Weight CMOS: Ca. 3.5 g /
0.12 oz

1D-LASER



MDL-1000


Barcode laser scanner

Scan rate: 100 scans/sec

Ca. 1.97 - 25.59 in

28 x 18 x 7.8 mm (wxdxh)
1.10 x 0.71 x 0.31 in (wxdxh)

Weight: Ca. 10 g / 0.35 oz



MSL-1000


Barcode laser scanner

Scan rate: 100 scans/sec

Ca. 1.97 - 25.59 in

28 x 14 x 7.8 mm (wxdxh)
1.10 x 0.55 x 0.31 in (wxdxh)

Weight: Ca. 10 g / 0.35 oz



MDL-2001

Barcode laser scanner

Scan rate: 100 scans/sec

Ca. 1.97 - 25.59 in

20.4 x 18 x 11.2 mm
(wxdxh)

0.79 x 0.71 x 0.44 in (wxdxh)

Weight: Ca. 4.7 g / 0.17 oz

2D



MDI-1000

2D CMOS imager

Scan rate: up to 30 fps

Ca. 1.97 - 11.81 in

Weight CMOS: Ca. 3.9 g /
0.14 oz

PCB: Ca. 3.8 g / 0.13 oz



MDI-2350

2D CMOS imager

Scan rate: up to 30 fps

Ca. 2.17 - 7.87 in

Weight CMOS: Ca. 7 g /
0.25 oz

PCB: Ca. 3.8 g / 0.13 oz



MDI-3100

2D CMOS imager with
auto-focus

Scan rate: up to 60 fps

Ca. 2.17 - 11.8 in

25.3 x 21 x 12.4 mm
(wxdxh)

1 x 0.83 x 0.49 in (wxdxh)

Weight: Ca. 8 g / 0.28 oz



MDI-2300

2D CMOS imager with
auto-focus

Scan rate: up to 80 fps

Ca. 1.77 - 39.37 in

Weight CMOS: Ca. 7 g /
0.25 oz

PCB: Ca. 3.8 g / 0.13 oz

ART. CODES ENGINES 1D/2D

MDL-1000	
ART. CODE CONN. TIN	11501
MSL-1000	
ART. CODE CONN. TIN	11400
MDL-2001	
ART. CODE CONN. GOLD	12426
ART. CODE FFC FLATCABLE	11438
MDI-1000	
ART. CODE	11572
ART. CODE FPC FLATCABLE 49MM	11575
ART. CODE FPC FLATCABLE 69MM	11620
MDI-2300	
ART. CODE	12768
ART. CODE FFC FLATCABLE	12931
MDI-2350	
ART. CODE FFC FLATCABLE	12931
MDI-3100	
ART. CODE	12972
ART. CODE HD	12975
ART. CODE FFC FLATCABLE	11438
MDC-100	
ART. CODE	13349
MDC-200	
ART. CODE	13627

SCANNERS

		1D CCD 1D LASER 2D	WINDOWS MOBILE WINDOWS CE WINDOWS EMBEDDED ANDROID PROPRIETARY NUMERIC QWERTY		USB RS232 WEDGE BLUETOOTH IRDA GPRS/EDGE GPS WLAN NFC RFID	BLACK WHITE GRAY	IP-RATING CABLED WIRELESS STATIONARY	PISTOL SCANNER RINGSCANNER HANDSCANNER PRESENTATION SCANNER COILED CABLE	STAND INCLUDED SOLD SEPARATELY
Art. Code	Reading	Operating System	Keypad	Communication interface	Colour	IP	Connection	Ergonomics	Stand
C-37-WHITE-USB	12309	•		•	•	42	•		
C-37-BLACK-RS232	12305	•		•	•	42	•		
C-37-BLACK-USB	12306	•		•	•	42	•		
C-40	13672	•		•	•	42	•		
C-41S	13894	•		•	•	42	•		
F-70 I-TYPE	13184	•		•	•	42	•	•	
F-70 L-TYPE	13185	•		•	•	42	•	•	
L-50C-USB-BLK	13750	•		•	•	42	•		•
L-50C-USB-WHT	13923	•		•	•	42	•		•
L-50C-RS232-BLK	13927	•		•	•	42	•		•
L-50X-USB-BLK	13751		•	•	•	42	•		•
M-10 BLACK	13356		•	•	•	52	•	•	
M-10 WHITE	13440		•	•	•	52	•	•	
NLV-1001-RS232	11613	•		•	•	43	•		
NLV-1001-USB	11614	•		•	•	43	•		
NLV-3101-RS232	13091		•	•	•	65	•		
NLV-3101-USB	13092		•	•	•	65	•		
NLV-3101-USBCOM	13094		•	•	•	65	•		
NLV-4001-RS232	13934	•		•	•	65	•		
NLV-4001-USBCOM	13935	•		•	•	65	•		
OPC-3301i	13724	•		•	•	42	•	•	
OPI-2201-BLACK-RS232	12097		•	•	•	42	•		•
OPI-2201-BLACK-USB	12098		•	•	•	42	•		•
OPI-3301i	13725		•	•	•	42	•	•	
OPI-3601-BLACK-RS232	13083		•	•	•	42	•	•	
OPI-3601-BLACK-USBHID	13084		•	•	•	42	•	•	
OPL-6845Z-WHITE-RS232	12091	•		•	•	42	•	•	•
OPL-6845Z-WHITE-USB	12092	•		•	•	42	•	•	•
OPL-6845Z-WHITE-WEDGE	12093	•		•	•	42	•	•	•
OPL-6845Z-BLACK-RS232	12088	•		•	•	42	•	•	•
OPL-6845Z-BLACK-USB	12089	•		•	•	42	•	•	•
OPL-6845Z-BLACK-WEDGE	12090	•		•	•	42	•	•	•
OPR-2001-RS232	11646	•		•	•	42	•	•	•
OPR-2001-USB	11645	•		•	•	42	•	•	•
OPR-2001-WEDGE	11644	•		•	•	42	•	•	•
OPR-3001-WHITE-USB	11611	•		•	•	54	•	•	•
OPR-3001-BLACK-RS232	11756	•		•	•	54	•	•	•
OPR-3001-BLACK-USB	11757	•		•	•	54	•	•	•
OPR-3001-BLACK-WEDGE	11758	•		•	•	54	•	•	•
OPR-3001-BLACK-RS232-COILED	11759	•		•	•	54	•	•	•
OPR-3001-BLACK-USB-COILED	11760	•		•	•	54	•	•	•
OPR-3201-WHITE-USB	11795	•		•	•	42	•	•	•
OPR-3201-BLACK-RS232	11843	•		•	•	42	•	•	•
OPR-3201-BLACK-USB	11789	•		•	•	42	•	•	•
OPR-3201-BLACK-WEDGE	11790	•		•	•	42	•	•	•

PRODUCT SELECTOR

		1D CCD	1D LASER	2D	WINDOWS MOBILE	WINDOWS CE	WINDOWS EMBEDDED	ANDROID	PROPRIETARY	NUMERIC	QWERTY	USB	RS232	WEDGE	BLUETOOTH	IRDA	GPRS/EDGE	GPS	WLAN	NFC	RFID	BLACK	WHITE	GRAY	IP-RATING	CABLED	WIRELESS	STATIONARY	PISTOL SCANNER	RINGSCANNER	HANDSCANNER	PRESENTATION SCANNER	COILED CABLE	STAND INCLUDED	SOLD SEPARATELY			
TERMINALS	Art. Code	Reading			Operating System					Keypad			Communication interface								Colour			IP	Connection		Ergonomics					Stand						
H-21 1D NUMERIC	12596	●		●						●		●			●	●	●	●	●			●			64													
H-21 2D NUMERIC	12597		●	●						●		●			●	●	●	●	●			●			64													
H-21 2D QWERTY	12599		●	●							●	●			●	●	●	●	●			●			64													
H-22 1D NUMERIC	12752	●		●						●		●			●	●	●	●	●			●			65													
H-22 1D QWERTY	12754	●		●							●	●			●	●	●	●	●			●			65													
H-22 1D NUMERIC RFID	12756	●		●						●		●			●	●	●	●	●		●	●			65													
H-22 1D QWERTY RFID	12758	●		●							●	●			●	●	●	●	●		●	●			65													
H-22 2D NUMERIC	12753		●	●						●		●			●	●	●	●	●			●			65													
H-22 2D QWERTY	12755		●	●							●	●			●	●	●	●	●			●			65													
H-22 2D NUMERIC RFID	12757		●	●						●		●			●	●	●	●	●		●	●			65													
H-22 2D QWERTY RFID	12759		●	●							●	●			●	●	●	●	●		●	●			65													
H-27 1D	13280	●						●				●			●	●			●	●	●	●			65													
H-27 2D	13281		●					●				●			●	●			●	●	●			65														
H-32	13218	●				●				●		●			●				●			●			54													
H-32 2D	13648		●			●				●		●			●				●			●			54													
OPH-1005	13036	●							●	●							●					●			54													
OPH-3001	13656	●							●	●		●					●					●			54													
COMPANION SCANNERS																																						
OPL-9725 OSE	13222	●							●							●							●		54	●												
OPL-9815	12963	●							●	●					●	●		●				●			54	●												
OPN-2001	11858	●							●			●										●			42	●												
OPN-2006	13336	●							●			●			●							●			42	●												
OPN-3002i	13169			●					●			●			●								●		42	●												
OPN-3002N	13168			●					●			●			●							●			42	●												
OPN-4000i	13442	●							●			●			●							●			42	●												
OPN-4000N	13443	●							●			●			●							●			42	●												
PX-20	13131			●					●			●			●							●			54	●												
PX-36	13749			●					●	●					●	●						●			54	●												
RS-2006	13919	●							●			●			●							●				●				●								
ENGINES																																						
MDC-100	13349	●										●	●									●																
MDC-200	13627	●										●	●									●																
MDI-1000	11572			●								●	●										●															
MDI-2300	12768			●								●										●																
MDI-2350	12919			●								●										●																
MDI-3100	12972			●								●	●											●														
MDI-3100-HD	12975			●								●	●											●														
MDL-1000	11501		●									●											●															
MDL-2001	12426		●									●											●															
MSL-1000	11400		●									●											●															

CONTACT DETAILS HEADQUARTERS

OPTICON SENSORS EUROPE B.V.

Opaallaan 35 / 2132 XV Hoofddorp / The Netherlands

Tel: +31 (0)23-5692700

E-mail: sales@opticon.com

OPTOELECTRONICS Co., Ltd (JAPAN)

12-17, Tsukagoshi 4-chome / Warabi-city Saitama Pref., 335-0002 / Japan

Tel: +81 (0)48-4461183

E-mail: sales@opto.co.jp

OPTICON INC. (NORTH AMERICA)

2220 Lind Avenue SW, Suite 100 / Renton, WA 98057 / United States of America

Tel: +1 425 651-2120

E-mail: sales@opticonusa.com

CONTACT DETAILS REGIONAL OFFICES

Please check our website www.opticon.com for contact details of our regional offices.

COPYRIGHT OPTICON. ALL RIGHTS RESERVED. THIS INFORMATION IS SUBJECT TO CHANGE WITHOUT PRIOR NOTICE. FOR AVAILABILITY, CONTACT YOUR LOCAL REPRESENTATIVE.

[PR_2016_001](#)



WWW.OPTICON.COM